THE JOURNAL OF
PROSTHETIC DENTISTRY

OFFICIAL PUBLICATION OF
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
Federation of Prosthodontic Organizations
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association

EDITORIAL COUNCIL

Louis S. Block, *chairman*
Daniel H. Gehl, *vice-chairman*
I. Kenneth Adisman
Charles L. Bolender
Thomas A. Curtis
Henry Ebel
William A. Jennings
Bernard Levin
Alexander L. Martone
S. Howard Payne
Chester Perry

EDITOR

Judson C. Hickey

SECTION EDITORS

REMOVABLE PROSTHODONTICS
Louis Blatterfein
S. Howard Payne
George A. Zarb

FIXED PROSTHODONTICS AND OPERATIVE DENTISTRY
Gordon J. Christensen
H. William Gilmore
Samuel E. Guyer
William Lefkowitz
William F. P. Malone

MAXILLOFACIAL PROSTHETICS, TEMPOROMANDIBULAR JOINT, AND DENTAL IMPLANTS
I. Kenneth Adisman
Ronald P. Desjardins

RESEARCH AND EDUCATION
Louis J. Boucher

DENTAL TECHNOLOGY
Daniel H. Gehl

Paul Barton, *editorial consultant*
Ralph W. Phillips, *advisor, dental materials*
Ocie Colleen Ringle, *editorial assistant*

ASSOCIATE EDITORS

Dale H. Andrews
Thomas A. Curtis
Ronald P. Desjardins
Robert W. Elliott
Aaron H. Fenton
Sanford C. Frumker
James B. Gallagher, Jr.
Davis Henderson
Robert E. Hoar
William W. Howard
William A. Jennings
Nathaniel H. Lenchner
William F. P. Malone
Paul J. Mentag
S. Howard Payne
Jack D. Preston
Jack H. Rayson
Robert H. Sprigg
Charles C. Swoope
Ross L. Taylor
Homer C. Vaughan

VOLUME 47 **JUNE** **1982**
THE C. V. MOSBY COMPANY **ST. LOUIS**

VOLUME 47
Copyright © 1982
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

INDEX TO VOLUME 47

Author index

A

ABDEL-HAKIM, A. M. Swallowing position as centric relation record, 12
ABOU-RASS, M. Evaluation and clinical management of previous endodontic therapy, 528
ADAMS, H. F. Technique for quadrant interocclusal records, 44
ANGLIS, L. F., AND FINE, L. Amalgam-composite resin restoration, 685
AUGSBURGER, R. H., AND ELAHI, J. M. Evaluation of seven proprietary denture cleansers, 356

B

BARGHI, N. Color and glaze: Effects of repeated firings, 393
BAUMAN, R., AND DEBOER, J. Modification of altered cast technique, 212
BECKER, C. M., AND KALDAHL, W. B. Using removable partial dentures to stabilize teeth with secondary occlusal traumatism, 587
BEHREND, D. A. Ceramometal restorations with supragingival margins, 625
BENINGTON, I. C., AND CLIFFORD, T. Injection impression technique for palatal defects, 414
BERRONG, J. M., DODGE, W. W., AND GLENN, V. C. Effect of mixing ratio on selected properties of six composite resins, 275
BEUMER, J. III (*See* Kurrasch et al), 422
—(*See* Sanders and Beumer), 16
BINZER, W. C. (*See* Mandel et al), 268
BLACKMAN, R. B. Ceramic shade prescriptions for work authorizations, 28
BOWLES, W. H. Modification of simple method for determination of gamma-2 phase of dental amalgam, 514
BROERING, L. F., AND GOOCH, W. M. Existing restorations duplicated for immediate denture, 336
BRONER, A. S., SONI, A., AND GOLDSTEIN, G. R. Modified boxing technique for mandibular impressions, 454
BROWN, M. H. (*See* Choung et al), 449
BUCHANAN, W. T. (*See* Shay and Buchanan), 220, 343
BUXBAUM, J. (*See* Graham et al), 549

C

CACCIATORE, A. (*See* Hamaguchi et al), 146
CALHOUN, J. E. (*See* de Gennaro et al), 384
CAMPAGNI, W. V., PRESTON, J. D., AND REISBICK, M. H. Measurement of paint-on die spacers used for casting relief, 606
CAMPBELL, C. D., LOFT, G. H., DAVIS, H., AND HART, D. L. TMJ symptoms and referred pain patterns, 430
CAMPBELL, L. G. (*See* Schutt et al), 407
CAPUTO, A. (*See* Dent et al), 59
CARTWRIGHT, C. B. (*See* Klausner et al), 157
CHARBENEAU, G. T. (*See* Klausner et al), 157
—(*See* Phillips et al), 654
CHO, H. (*See* Shiba et al), 246
CHOUNG, C. K., GARLAPO, D. A., BROWN, M. H., AND SORENSEN, S. E. Procedure for simplified collarless metal-ceramic restoration using gold powder, 449
CLAYTON, J. A. (*See* Lederman and Clayton), 198, 303
CLIFFORD, T. (*See* Benington and Clifford), 414
CLOWSON, R. L. (*See* Pagniano et al), 279
COLÓN, A., KOTWAL, K., AND MANGELSDORFF, A. D. Analysis of posterior palatal seal and palatal form as related to retention of complete dentures, 23
CONNY, D. J. Fabrication of custom cementation aid, 459
COOLEY, R. L. (*See* Lubow et al), 373
COWLES, K. R. Partial denture design: Simple teaching aid, 219
CURTIS, J. W., JR. (*See* Medford et al), 681

D

DAGEFOERDE, R. O. (*See* Pagniano et al), 279
DALE, B. G. (*See* Kruger and Dale), 646
DALY, C. H. (*See* Kydd and Daly), 317
DAVIDSON, T. J., AND RUFF, S. Prosthodontic technique for ramus endosseous frame implant, 535
DAVIS, H. (*See* Campbell et al), 430
—(*See* Stein et al), 545
DAVIS, S. S. (*See* McDonald et al), 366
DEBOER, J. (*See* Bauman and DeBoer), 212
DECOUNTER, B. L., JACOB, R. F. K., AND SCANDRETT, F. R. Accelerating plaster set using controlled slurry water concentration, 340
DE GENNARO, G. G., LANDESMAN, H. M., CALHOUN, J. E., AND MARTINOFF, J. T. Comparison of gingival inflammation related to retraction cords, 384
DENEHY, G. E. (*See* Hormati et al), 502
DENT, R. J., PRESTON, J. D., MOFFA, J. P., AND CAPUTO, A. Effect of oxidation on ceramometal bond strength, 59
DODGE, W. W. (*See* Berrong et al), 275
DRAHEIM, R. N. (*See* Re et al), 185, 518
DRAUGHN, R. A. (*See* Marcinak and Draughn), 411
DUNCAN, J. D. Casting accuracy of nickel-chromium alloys for fixed prostheses, 63
DUNCANSON, M. G., JR. (*See* Wiebelt et al), 603
DWYER, T. G. (*See* Hoag and Dwyer), 177

E

EKFELDT, A., JEMT, T., MÅNSSON, L. Interocclusal distance measurement comparing chin and tooth reference points, 560
ELAHI, J. M. (*See* Augsburger and Elahi), 356
ELIASSON, S. (*See* Lofberg et al), 126
ERICSON, G. (*See* Lofberg et al), 126
ETTINGER, R. L. (*See* Hanson et al), 488

F

FINE, L. (*See* Anglis and Fine), 685
FISHER, R. L. (*See* McDowell and Fisher), 360
FULLER, J. L. (*See* Hormati et al), 502
FUSAYAMA, T., KUROSAKI, N., NODE, H., AND NAKAMURA, M. Laminated hydrocolloid impression for indirect inlays, 171

G

GALLANT, R. F. (*See* German et al), 399
GALLON, P. G. Treatment with esthetic periodontal prosthesis, 256
GARDNER, F. M., AND STANKEWITZ, C. G. Using removable gingival facades with fixed partial dentures, 262
GARLAPO, D. A. (*See* Choung et al), 449
GARRETT, R. (*See* Reisbick et al), 92
GARVER, D. G. Stabilization of record bases in construction of complete dentures, 342
— AND STEINMETZ, W. A. Fabrication of vacuum adapter for construction of provisional coverage splints, 457
GARVIN, P. H., MALONE, W. F. P., TOTO, P. D., AND MAZUR, B. Effect of self-curing acrylic resin treatment restorations on crevicular fluid volume, 284

January, 1-116; February, 117-232; March, 233-350; April, 351-468; May, 469-584; June, 585-706.

GERMAN, R. M., WRIGHT, D. C., AND GALLANT, R. F. In vitro tarnish measurements on fixed prosthodontic alloys, 399
GLANTZ, P.-O., AND NYMAN, S. Technical and biophysical aspects of fixed partial dentures for patients with reduced periodontal support, 47
GLASSMAN, A. (*See* Segall and Glassman), 85
GLENN, V. C. (*See* Berrong et al), 275
GOLDSTEIN, B. M. (*See* MacEntee et al), 483
GOLDSTEIN, G. R. (*See* Broner et al), 454
GOOCH, W. M. (*See* Broering and Gooch), 336
GOODMAN, S. D. (*See* Medford et al), 681
GRAHAM, M. M., BUXBAUM, J., AND STALING, L. M. Study of occlusal relationships and incidence of myofacial pain, 549

H

HAKALA, P. E. (*See* Lindholm et al), 440
HAMAGUCHI, H., CACCIATORE, A., AND TUELLER, V. M. Marginal distortion of porcelain-bonded-to-metal complete crown: SEM study, 146
HAMILTON, A. I. (*See* Phillips et al), 654
HAMLET, S. L., AND STONE, M. Speech adaptation to dental prostheses: Former lisper, 564
HANSON, J. G., ETTINGER, R. L., PETERSON, L. C., RITTMAN, B., AND SCANDRETT, F. R. Effect on dimensional accuracy when reattaching fractured lone standing teeth of cast, 488
HART, D. L. (*See* Campbell et al), 430
—(*See* Stein et al), 545
HARVEY, W. L., HOFFMAN, W., HOCHSTETTER, R., AND ROULAND, D. Large edentulous ridges—Are they better for dentures than small ridges? 595
HAYASHI, T. (*See* Shiba et al), 246
HICKEY, A. J., TOTH, B. B., AND LINDQUIST, S. B. Effect of intravenous hyperalimentation and oral care on development of oral stomatitis during cancer chemotherapy, 188
HOAG, E. P., AND DWYER, T. G. Comparative evaluation of three post and core techniques, 177
HOBO, S. Distortion of occlusal porcelain during glazing, 154
HOCHSTETTER, R. (*See* Harvey et al), 595
HOFFMAN, W. (*See* Harvey et al), 595
HORMATI, A. A., DENEHY, G. E., AND FULLER, J. L. Retentiveness of enamel-resin bonds using unfilled and filled resins, 502
HOVIJITRA, S. (*See* Robinson and Hovijitra), 390
HOWARD, W. W., UENO, H., AND PRUITT, C. O. Standards of pontic design, 493

J

JACOB, R. F. K. (*See* DeCounter et al), 340
JAMESON, L. M., AND MALONE, W. F. P. Crown contours and gingival response, 620
JAMISON, H. C. (*See* Retief et al), 496
JAMSHIDI, M. Technique for accurate rubber base impressions for fixed prosthodontics, 265
JEMT, T. (*See* Ekfeldt et al), 560
JENDRESEN, M. D. (*See* Phillips et al), 654
JORDAN, R. D., AND TURNER, K. A. Die alteration to provide adequate occlusal clearance, 570
—, ZAKARAISEN, K., AND TURNER, K. A. Temporization of extensively fractured anterior tooth, 182

K

KAGAWA, T. (*See* Kurrasch et al), 422
KAHN, R. C., LANCASTER, M. V., AND KATE, W., JR. Microbiologic cross-contamination of dental prostheses, 556
KAISER, D. (*See* Lubow et al), 373
KALDAHL, W. B. (*See* Becker and Kaldahl), 587
KANTER, J., KOSKI, R. E., AND MARTIN, D. Relationship of weight loss to surface roughness of composite resins from simulated toothbrushing, 505
KATE, W., JR. (*See* Kahn et al), 556
KING, G. E. (*See* Lucas et al), 206
KLAUSNER, L. H., CARTWRIGHT, C. B., AND CHARBENEAU, G. T. Polished versus autoglazed porcelain surfaces, 157
KLOOSTER, J. (*See* Phillips et al), 654
KOSKI, R. E. (*See* Kanter et al), 505
KOTH, D. L. (*See* McKinney and Koth), 69
—(*See* Williams and Koth), 616
KOTWAL, K. (*See* Colón et al), 23
KRUGER, B. M., AND DALE, B. G. Analysis and correction of condylar displacement of TMJ, 646
KUROSAKI, N. (*See* Fusayama et al), 171
KURRASCH, M., BEUMER, J. III, AND KAGAWA, T. Mucormycosis: Oral and prosthodontic implications. Report of 14 patients, 422
KYDD, W. L., AND DALY, C. H. Biologic and mechanical effects of stress on oral mucosa, 317

L

LANCASTER, M. V. (*See* Kahn et al), 556
LANDESMAN, H. M. (*See* de Gennaro et al), 384
LANG, B. R. (*See* Morita et al), 330
LEDERMAN, K. H., AND CLAYTON, J. A. Patients with restored occlusions. Part I: TMJ dysfunction determined by pantographic reproducibility index, 198; Restored occlusions. Part II: Relationship of clinical and subjective symptoms to varying degrees of TMJ dysfunction, 303
LE TISSIER, D. R. (*See* Wright et al), 88
LINDHOLM, K., HAKALA, P. E., AND MÄKILÄ, E. Leukocyte count and keratinization of palatal denture-bearing mucosa, 440
LINDQUIST, S. B. (*See* Hickey et al), 188
LING, B. C. Rare earth magnets as locking devices in sectional dentures, 252
LIVADITIS, G. J., AND THOMPSON, V. P. Etched castings: Improved retentive mechanism for resin-bonded retainers, 52
LOFBERG, P. G., ERICSON, G., AND ELIASSON, S. Clinical and radiographic evaluation of removable partial dentures retained by attachments to alveolar bars, 126
LOFT, G. (*See* Stein et al), 545
LOFT, G. H. (*See* Campbell et al), 430
LUBOW, R. M., COOLEY, R. L., AND KAISER, D. Periodontal and restorative aspects of molar uprighting, 373
LUCAS, G. B., KING, G. E., AND UDAGAMA, A. Evaluation of primers on leakage at bond interface of silicone and methyl methacrylate, 206
LUNDEEN, H. C. (*See* Phillips et al), 654

M

MACDONALD, D. G. (*See* Watson and MacDonald), 133
MACENTEE, M. I., GOLDSTEIN, B. M., AND PRICE, C. Submucosal root retention: Two-year clinical observation, 483
MÄKILÄ, E. (*See* Lindholm et al), 440
MALONE, W. F. P. (*See* Garvin et al), 284
—(*See* Jameson and Malone), 620
MANDEL, R. C., BINZER, W. C., AND WITHERS, J. A. Forced eruption in restoring severely fractured teeth using removable orthodontic appliances, 268
MANGELSDORFF, A. D. (*See* Colón et al), 23
MANOR, R. C. (*See* Moore and Manor), 338
MÄNSSON, L. (*See* Ekfeldt et al), 560
MARCINAK, C. F., AND DRAUGHN, R. A. Linear dimensional changes in addition curing silicone impression materials, 411
MARTIN, D. (*See* Kanter et al), 505
MARTINOFF, J. T. (*See* de Gennaro et al), 384
MATTINGLY, S. L. (*See* Shay and Mattingly), 104
MAZUR, B. (*See* Garvin et al), 284
MCDONALD, F. L., DAVIS, S. S., AND WHITBECK, P. Periodontal surgery as aid to restoring fractured teeth, 366
MCDOWELL, G. C., AND FISHER, R. L. Force transmission by indirect retainers when unilateral dislodging force is applied, 360

McGHAY, R. M. (*See* Smith and McGhay), 214
McGIVNEY, G. P. (*See* Taylor et al), 120
McKINNEY, R. V., JR., AND KOTH, D. L. Single-crystal sapphire endosteal dental implant: Material characteristics and 18-month experimental animal trials, 69
McLEAN, J. W. (*See* Phillips et al), 654
MEDFORD, H. M., CURTIS, J. W., JR., SALISBURY, P. L. III, AND GOODMAN, S. D. Using dental technology to fabricate abdominal prosthesis to aid in management of intestinal cutaneous fistulas, 681
MESU, F. P. Mechanical mixing of zinc oxide–eugenol cements, 522
MILLER, R. A. (*See* Nuckles et al), 612
MILLER, R. I. (*See* Saunders et al), 209
MITCHENER, R. W. Vertical space for denture bases—Without surgery, 354
MIYAGAWA, Y. (*See* Morita et al), 330
MOERGELI, J. R., JR. Improved obturator for defect of nasal septum, 419
MOFFA, J. P. (*See* Dent et al), 59
MONGINI, F. Combined method to determine therapeutic position for occlusal rehabilitation, 434
MOORE, B. K. (*See* Swartz et al), 163
MOORE, P. A., AND MANOR, R. C. Hydrofluoric acid burns, 338
MORITA, O., MIYAGAWA, Y., AND LANG, B. R. Determining pathway of protrusive movement on arcon and nonarcon articulators by mathematical equations, 330
MYERS, M. L. Centric relation records—Historical review, 141

N

NAKAMURA, M. (*See* Fusayama et al), 171
NAKAO, M. (*See* Shiba et al), 246
NAPIERSKI, G. E. Positioning wheelchair patients for dental treatment, 217
NODE, H. (*See* Fusayama et al), 171
NORLING, B. K. (*See* Re et al), 185, 518
NUCKLES, D. B., MILLER, R. A., AND OLSON, J. C. Early and delayed finishing of amalgam with different polishing procedures, 612
NYMAN, S. (*See* Glantz and Nyman), 47

O

OLSON, J. C. (*See* Nuckles et al), 612

P

PAGNIANO, R. P., SCHEID, R. C., CLOWSON, R. L., DAGEFOERDE, R. O., AND ZARDIACKAS, L. D. Linear dimensional change of acrylic resins used in fabrication of custom trays, 279
PARKINSON, C. F. Endodontic abutments and complete dentures, 600
PELLEU, G. B., JR. (*See* Schutt et al), 407
PETERSON, L. C. (*See* Hanson et al), 488
PFLUGHOEFT, F. A. (*See* Taylor et al), 120
PHILLIPS, C. (*See* Toolson et al), 4
PHILLIPS, R. W., CHARBENEAU, G. T., HAMILTON, A. I., JENDRESEN, M. D., LUNDEEN, H. C., KLOOSTER, J., AND MCLEAN, J. W. Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry, 654
—(*See* Swartz et al), 163
PIERSON, W. P. (*See* Saunders et al), 209
PLUMMER, K. D. Technique for boxing altered cast impression, 573
POMERANTZ, J. M., AND ZIMMERMAN, D. E. Use of nonparallel canine abutments for tissue bar overdenture obturator, 194
PORTER, K. (*See* Strassler and Porter), 387
PRESTON, J. D. (*See* Campagni et al), 606
—(*See* Dent et al), 59
PRETI, G., SCOTTI, R., TURBIGLIO, G., AND SCALA, C. Anatomic study of condylar position at maximum intercuspation, 445
PRICE, C. (*See* MacEntee et al), 483
PRUITT, C. O. (*See* Howard et al), 493
PULLEN-WARNER, E. A. (*See* Wright et al), 88

R

RE, G. J., NORLING, B. K., AND DRAHEIM, R. N. Fracture resistance of lower molars with varying facioocclusolingual amalgam restorations, 518
—,—,—Fracture strength of molars containing three surface amalgam restorations, 185
REISBICK, M. H., GARRETT, R., AND SMITH, D. D. Some effects of device versus handmixing of irreversible hydrocolloids, 92
—(*See* Campagni et al), 606
RETIEF, D. H., WOODS, E., AND JAMISON, H. C. Effect of cavosurface treatment on marginal leakage in Class V composite resin restorations, 496
RHODES, B. F. (*See* Swartz et al), 163
RITTMAN, B. (*See* Hanson et al), 488
ROBINSON, F. B., AND HOVIJITRA, S. Marginal fit of direct temporary crowns, 390
ROSEN, H. Cracked tooth syndrome, 36
ROSTOKER, W. (*See* Weiss and Rostoker), 633
ROULAND, D. (*See* Harvey et al), 595
RUDOLPH, J. J. (*See* Schutt et al), 407
RUFF, S. (*See* Davidson and Ruff), 535

S

SALISBURY, P. L. III (*See* Medford et al), 681
SANDERS, B., AND BEUMER, J. III. Augmentation rib grafting to inferior border of atrophic edentulous mandible: Five-year experience, 16
SANO, K. (*See* Shiba et al), 246
SAUNDERS, T. R., PIERSON, W. P., AND MILLER, R. I. Effect of lead-containing elastic impression materials on whole blood lead levels, 209
SCALA, C. (*See* Preti et al), 445
SCANDRETT, F. R. (*See* DeCounter et al), 340
—(*See* Hanson et al), 488
SCHAAF, N. G. (*See* Vergo and Schaaf), 310
SCHEID, R. C. (*See* Pagniano et al), 279
SCHUTT, N. L., CAMPBELL, L. G., RUDOLPH, J. J., AND PELLEU, G. B., JR. Effect of storage time and temperature on setting times of two composite resins, 407
SCOTTI, R. (*See* Preti et al), 445
SEGALL, B. W., AND GLASSMAN, A. Use of medical-grade silicone adhesive as denture liner in treatment of idiopathic oral mucosal irritation, 85
SHAY, J. S., AND BUCHANAN, W. T. Alternative to shade selection, 343
—,—Gutta percha removal for cast post and cores, 220
— AND MATTINGLY, S. L. Technique for immediate repair of removable partial denture facings, 104
SHEPPARD, S. M. Asymptomatic morphologic variations in mandibular condyle-ramus region, 539
SHIBA, A., YOSHIDA, J., NAKAO, M., SANO, K., CHO, H., AND HAYASHI, T. Sodium dodecyl sulfate electrophoretic analysis of protein in palatine saliva, 246
SMITH, C. C., AND MCGHAY, R. M. Technique for making template for temporary restorations, 214
SMITH, D. D. (*See* Reisbick et al), 92
SMITH, D. E. (*See* Toolson and Smith), 236
—(*See* Toolson et al), 4
SONI, A. (*See* Broner et al), 454
SORENSEN, S. E. (*See* Choung et al), 449
STALING, L. M. (*See* Graham et al), 549
STANKEWITZ, C. G. Finishing palatal lingual contours of dentures, 108
—(*See* Gardner and Stankewitz), 262
STEIN, S., LOFT, G., DAVIS, H., AND HART, D. L. Symptoms of TMJ dysfunction as related to stress measured by Social Readjustment Rating Scale, 545
STEINMETZ, W. A. (*See* Garver and Steinmetz), 457
STONE, M. (*See* Hamlet and Stone), 564

STRASSLER, H. E., AND PORTER, K. Retainerless matrix for amalgam restorations, 387
STRATTON, R. J. (*See* Wiebelt et al), 603
SUTHERS, M. D., AND WISE, M. D. Influence of cementing medium on accuracy of remount procedure, 377
SWARTZ, M. L., MOORE, B. K., PHILLIPS, R. W., AND RHODES, B. F. Direct restorative resins—Comparative study, 163

T

TAYLOR, D. T., PFLUGHOEFT, F. A., AND MCGIVNEY, G. P. Effect of two clasping assemblies on arch integrity as modified by base adaptation, 120
THOMPSON, V. P. (*See* Livaditis and Thompson), 52
TOOLSON, L. B., AND SMITH, D. E. Clinical measurement and evaluation of vertical dimension, 236
—,—, AND PHILLIPS, C. Two-year longitudinal study of overdenture patients. Part II: Assessment of periodontal health of overdenture abutments, 4
TOTH, B. B. (*See* Hickey et al), 188
TOTO, P. D. (*See* Garvin et al), 284
TRAWEEK, F. C. (*See* Wagner and Traweek), 242
TSAO, D. H. Graphic description of figure representation of teeth and mandible in centric occlusion, 95
TUELLER, V. M. (*See* Hamaguchi et al), 146
TURBIGLIO, G. (*See* Preti et al), 445
TURNER, K. A. (*See* Jordan and Turner), 570
—(*See* Jordan et al), 182

U

UDAGAMA, A. (*See* Lucas et al), 206
UENO, H. (*See* Howard et al), 493
UUSALO, E. (*See* Yli-Urpo and Uusalo), 396

V

VERGO, T. J., JR., AND SCHAAF, N. G. Evaluation of mandibular movements in horizontal plane made by partial mandibulectomy patients—Pilot study, 310
VON KRAMMER K., R. Dowel system for waxing pontics in fixed partial denture construction, 101
—. Principles and technique in sublingual flange extension of complete mandibular dentures, 479

W

WAGNER, A. G., AND TRAWEEK, F. C. Comparison of major connectors for removable partial dentures, 242
WATSON, I. B., AND MACDONALD, D. G. Oral mucosa and complete dentures, 133
WEINBERG, L. A. Vertical dimension: Research and clinical analysis, 290
WEISS, M. B., AND ROSTOKER, W. Development of new endosseous dental implant. Part II: Human studies, 633
WHITBECK, P. (*See* McDonald et al), 366
WIEBELT, F. J., DUNCANSON, M. G., JR., AND STRATTON, R. J. Comparison of bond strengths of polymethyl methacrylate and alpha cyanoacrylate, 603
WILLIAMS, H. A., AND KOTH, D. L. Esthetic feasibility study using labial index, 616
WINSTANLEY, R. B. Modified impression technique for patients with interdental spacing, 107
WISE, M. D. (*See* Suthers and Wise), 377
WITHERS, J. A. (*See* Mandel et al), 268
WOODS, E. (*See* Retief et al), 496
WRIGHT, D. C. (*See* German et al), 399
WRIGHT, S. M., PULLEN-WARNER, E. A., AND LE TISSIER, D. R. Design for maximal retention of obturator prosthesis for hemimaxillectomy patients, 88

Y

YLI-URPO, A., AND UUSALO, E. Microhardness of alloys for porcelain veneering, 396
YOSHIDA, J. (*See* Shiba et al), 246

Z

ZAKARAISEN, K. (*See* Jordan et al), 182
ZARB, G. A. Oral motor patterns and their relation to oral prostheses, 472
ZARDIACKAS, L. D. (*See* Pagniano et al), 279
ZIMMERMAN, D. E. (*See* Pomerantz and Zimmerman), 194

Subject index

A

Abdominal prosthesis to aid in management of intestinal cutaneous fistulas, using dental technology to fabricate (Medford et al), 681
Abutments, endodontic, and complete dentures (Parkinson), 600
  nonparallel canine, for tissue bar overdenture obturator, use of (Pomerantz and Zimmerman), 194
  overdenture, assessment of periodontal health of, Part II: 2-year longitudinal study of overdenture patients (Toolson et al), 4
Accelerating plaster set using controlled slurry water concentration (DeCounter et al), 340
Accuracy, casting, of nickel-chromium alloys for fixed prostheses (Duncan), 63
Acid, hydrofluoric, burns (Moore and Manor), 338
Acrylic resin(s) treatment restorations, self-curing, effect of, on crevicular fluid volume (Garvin et al), 284
  used in fabrication of custom trays, linear dimensional change of (Pagniano et al), 279
Adaptation, base, effect of two clasping assemblies on arch integrity as modified by (Taylor et al), 120
  speech, to dental prostheses: Former lisper (Hamlet and Stone), 564
Adapter, vacuum, fabrication of, for construction of provisional coverage splints (Garver and Steinmetz), 457
Addition curing silicone impression materials, linear dimensional changes in (Marcinak and Draughn), 411
Adhesive, medical-grade silicone, as denture liner in treatment of idiopathic oral mucosal irritation, use of (Segall and Glassman), 85
Alloys, fixed prosthodontic, in vitro tarnish measurements on (German et al), 399
  for porcelain veneering, microhardness of (Yli-Urpo and Uusalo), 396
  nickel-chromium, for fixed prostheses, casting accuracy of (Duncan), 63
Alpha cyanoacrylate and polymethyl methacrylate, comparison of bond strengths of (Wiebelt et al), 603
Alteration, die, to provide adequate occlusal clearance (Jordan and Turner), 570
Altered cast impression, technique for boxing (Plummer), 573
  technique, modification of (Bauman and DeBoer), 212
Alveolar bars, clinical and radiographic evaluation of removable partial dentures retained by (Lofberg et al), 126
Amalgam–composite resin restoration (Anglis and Fine) (Tips), 685

January, 1-116; February, 117-232; March, 233-350; April, 351-468; May, 469-584; June, 585-706.

Amalgam—cont'd
dental, modification of simple method for determination of gamma-2 phase of (Bowles), 514
early and delayed finishing of, with different polishing procedures (Nuckles et al), 612
restorations, retainerless matrix for (Strassler and Porter), 387
three surface, fracture strength of molars containing (Re et al), 185
varying faciocclusolingual, fracture resistance of lower molars with (Re et al), 518
Anatomic study of condylar position at maximum intercuspation (Preti et al), 445
Animal trials, 18-month experimental, and material characteristics: Single-crystal sapphire endosteal dental implant (McKinney and Koth), 69
Anterior tooth, extensively fractured, temporization of (Jordan et al), 182
Arch integrity as modified by base adaptation, effect of two clasping assemblies on (Taylor et al), 120
Arcon and nonarcon articulators, determining pathway of protrusive movement on, by mathematical equations (Morita et al), 330
Articulators, arcon and nonarcon, determining pathway of protrusive movement on, by mathematical equations (Morita et al), 330
Asymptomatic morphologic variations in mandibular condyle-ramus region (Sheppard), 539
Atrophic edentulous mandible, augmentation rib grafting to inferior border of: 5-year experience (Sanders and Beumer), 16
Attachments to alveolar bars, clinical and radiographic evaluation of removable partial dentures retained by (Lofberg et al), 126
Augmentation rib grafting to inferior border of atrophic edentulous mandible: 5-year experience (Sanders and Beumer), 16
Authorizations, work, ceramic shade prescriptions for (Blackman), 28
Autoglazed versus polished porcelain surfaces (Klausner et al), 157

B

Bars, alveolar, clinical and radiographic evaluation of removable partial dentures retained by (Lofberg et al), 126
Base(s) adaptation, effect of two clasping assemblies on arch integrity as modified by (Taylor et al), 120
record, stabilization of, in construction of complete dentures (Garver) (Tips), 342
Biophysical and technical aspects of fixed partial dentures for patients with reduced periodontal support (Glantz and Nyman), 47
Blood, whole, lead levels, effect of lead-containing elastic impression materials on (Saunders et al), 209
Bond(s), enamel-resin, retentiveness of, using unfilled and filled resins (Hormati et al), 502
interface of silicone and methyl methacrylate, evaluation of primers on leakage at (Lucas et al), 206
strength(s), ceramometal, effect of oxidation on (Dent et al), 59
of polymethyl methacrylate and alpha cyanoacrylate, comparison of (Wiebelt et al), 603
Bonded retainers, resin-, improved retentive mechanism for: Etched castings (Livaditis and Thompson), 52
Boxing altered cast impression, technique for (Plummer), 573
technique, modified, for mandibular impressions (Broner et al), 454
Burns, hydrofluoric acid (Moore and Manor), 338

C

Cancer chemotherapy, effect of intravenous hyperalimentation and oral care on development of oral stomatitis during (Hickey et al), 188
Canine abutments, nonparallel, for tissue bar overdenture obturator, use of (Pomerantz and Zimmerman), 194
Cast, altered, technique, modification of (Bauman and DeBoer), 212
effect on dimensional accuracy when reattaching fractured lone standing teeth of (Hanson et al), 488
impression, altered, technique for boxing (Plummer), 573
post and cores, gutta percha removal for (Shay and Buchanan) (Tips), 220
Casting(s) accuracy of nickel-chromium alloys for fixed prostheses (Duncan), 63
etched: Improved retentive mechanism for resin-bonded retainers (Livaditis and Thompson), 52
relief, measurement of paint-on die spacers used for (Campagni et al), 606
Cavosurface treatment, effect of, on marginal leakage in Class V composite resin restorations (Retief et al), 496
Cementation aid, custom, fabrication of (Conny) (Tips), 459
Cementing medium, influence of, on accuracy of remount procedure (Suthers and Wise), 377
Cements, zinc oxide–eugenol, mechanical mixing of (Mesu), 522
Centric occlusion, graphic description of figure representation of teeth and mandible in (Tsao), 95
relation record(s)—Historical review (Myers), 141
swallowing position as (Abdel-Hakim), 12
Ceramic-metal restoration, simplified collarless, procedure for, using gold powder (Choung et al), 449
shade prescriptions for work authorizations (Blackman), 28
Ceramometal bond strength, effect of oxidation on (Dent et al), 59
restorations with supragingival margins (Behrend), 625
Chemotherapy, cancer, effect of intravenous hyperalimentation and oral care on development of oral stomatitis during (Hickey et al), 188
Chin and tooth reference points, interocclusal distance measurement comparing (Ekfeldt et al), 560
Chromium, nickel-, alloys for fixed prostheses, casting accuracy of (Duncan), 63
Clasping assemblies, two, effect of, on arch integrity as modified by base adaptation (Taylor et al), 120
Class V composite resin restorations, effect of cavosurface treatment on marginal leakage in (Retief et al), 496
Cleansers, seven proprietary denture, evaluation of (Augsburger and Elahi), 356
Clearance, adequate occlusal, die alteration to provide (Jordan and Turner), 570
Collarless metal-ceramic restoration, simplified, procedure for, using gold powder (Choung et al), 449
Color and glaze: Effects of repeated firings (Barghi), 393
Complete crown, porcelain-bonded-to-metal, marginal distortion of: SEM study (Hamaguchi et al), 146
dentures, analysis of posterior palatal seal and palatal form as related to retention of (Colón et al), 23
and endodontic abutments (Parkinson), 600
oral mucosa (Watson and MacDonald), 133
stabilization of record bases in construction of (Garver) (Tips), 342
mandibular dentures, principles and technique in sublingual flange extension of (von Krammer K.), 479
Composite resin(s)–amalgam restoration (Anglis and Fine) (Tips), 685
relationship of weight loss to surface roughness of, from simulated toothbrushing (Kanter et al), 505
restorations, Class V, effect of cavosurface treatment on marginal leakage in (Retief et al), 496
six, effect of mixing ratio on selected properties of (Berrong et al), 275
two, effect of storage time and temperature on setting times of (Schutt et al), 407
Condylar displacement of TMJ, analysis and correction of (Kruger and Dale), 646

Condylar—cont'd
position at maximum intercuspation, anatomic study of (Preti et al), 445
Condyle-ramus region, mandibular, asymptomatic morphologic variations in (Sheppard), 539
Connectors, major, for removable partial dentures, comparison of (Wagner and Traweek), 242
Contours, crown, and gingival response (Jameson and Malone), 620
palatal and lingual, of dentures, finishing (Stankewitz) (Tips), 108
Controlled slurry water concentration, accelerating plaster set using (DeCounter et al), 340
Cords, retraction, comparison of gingival inflammation related to (de Gennaro et al), 384
Core(s) and post, cast, gutta percha removal for (Shay and Buchanan) (Tips), 220
techniques, three, comparative evaluation of (Hoag and Dwyer), 177
Cracked tooth syndrome (Rosen), 36
Crevicular fluid volume, effect of self-curing acrylic resin treatment restorations on (Garvin et al), 284
Cross-contamination, microbiologic, of dental prostheses (Kahn et al), 556
Crown(s) contours and gingival response (Jameson and Malone), 620
direct temporary, marginal fit of (Robinson and Hovijitra), 390
porcelain-bonded-to-metal complete, marginal distortion of: SEM study (Hamaguchi et al), 146
Custom cementation aid, fabrication of (Conny) (Tips), 459
trays, linear dimensional change of acrylic resins used in fabrication of (Pagniano et al), 279
Cutaneous fistulas, intestinal, using dental technology to fabricate abdominal prosthesis to aid in management of (Medford et al), 681

D

Defect(s) of nasal septum, improved obturator for (Moergeli), 419
palatal, injection impression technique for (Benington and Clifford), 414
Dental amalgam, modification of simple method for determination of gamma-2 phase of (Bowles), 514
implant, new endosseous, development of. Part II: Human studies (Weiss and Rostoker), 633
single-crystal sapphire endosteal: Material characteristics and 18-month experimental animal trials (McKinney and Koth), 69
prostheses, microbiologic cross-contamination of (Kahn et al), 556
speech adaptation to: Former lisper (Hamlet and Stone), 564
treatment, positioning wheelchair patients for (Napierski), 217
Denture(s)—Are large edentulous ridges better for, than small ridges? (Harvey et al), 595
bases, vertical space for—Without surgery (Mitchener), 354
-bearing mucosa, palatal, leukocyte count and keratinization of (Lindholm et al), 440
cleansers, seven proprietary, evaluation of (Augsburger and Elahi), 356
complete, analysis of posterior palatal seal and palatal form as related to retention of (Colón et al), 23
and endodontic abutments (Parkinson), 600
oral mucosa (Watson and MacDonald), 133
mandibular, principles and technique in sublingual flange extension of (von Krammer K.), 479
stabilization of record bases in construction of (Garver) (Tips), 342
facings, removable partial, technique for immediate repair of (Shay and Mattingly), 104
Denture(s)—cont'd
finishing palatal and lingual contours of (Stankewitz) (Tips), 108
fixed partial, construction, dowel system for waxing pontics in (von Krammer K.), 101
for patients with reduced periodontal support, technical and biophysical aspects of (Glantz and Nyman), 47
using removable gingival facades with (Gardner and Stankewitz), 262
immediate, existing restorations duplicated for (Broering and Gooch), 336
liner in treatment of idiopathic oral mucosal irritation, use of medical-grade silicone adhesive as (Segall and Glassman), 85
removable partial, comparison of major connectors for (Wagner and Traweek), 242
retained by attachments to alveolar bars, clinical and radiographic evaluation of (Lofberg et al), 126
using, to stabilize teeth with secondary occlusal traumatism (Becker and Kaldahl), 587
sectional, rare earth magnets as locking devices in (Ling), 252
Design for maximal retention of obturator prosthesis for hemimaxillectomy patients (Wright et al), 88
Device versus handmixing of irreversible hydrocolloids, some effects of (Reisbick et al), 92
Die alteration to provide adequate occlusal clearance (Jordan and Turner), 570
spacers, paint-on, used for casting relief, measurement of (Campagni et al), 606
Dimensional accuracy, effect on, when reattaching fractured lone standing teeth of cast (Hanson et al), 488
change(s), linear, in addition curing silicone impression materials (Marcinak and Draughn), 411
of acrylic resins used in fabrication of custom trays (Pagniano et al), 279
Direct restorative resins—Comparative study (Swartz et al), 163
temporary crowns, marginal fit of (Robinson and Hovijitra), 390
Dislodging force, unilateral, is applied, force transmission by indirect retainers when (McDowell and Fisher), 360
Displacement, condylar, of TMJ, analysis and correction of (Kruger and Dale), 646
Distance, interocclusal, measurement comparing chin and tooth reference points (Ekfeldt et al), 560
Distortion, marginal, of porcelain-bonded-to-metal complete crown: SEM study (Hamaguchi et al), 146
of occlusal porcelain during glazing (Hobo), 154
Dowel system for waxing pontics in fixed partial denture construction (von Krammer K.), 101
Dysfunction, TMJ, determined by pantographic reproducibility index, Part I: Patients with restored occlusions (Lederman and Clayton), 198
relationship of clinical and subjective symptoms to varying degrees of, Part II: Restored occlusions (Lederman and Clayton), 303
symptoms of, as related to stress measured by Social Readjustment Rating Scale (Stein et al), 545

E

Edentulous mandible, atrophic, augmentation rib grafting to inferior border of: 5-year experience (Sanders and Beumer), 16
ridges, large—Are they better for dentures than small ridges? (Harvey et al), 595
Elastic impression materials, lead-containing, effect of, on whole blood lead levels (Saunders et al), 209
Electrophoretic analysis, sodium dodecyl sulfate, of protein in palatine saliva (Shiba et al), 246
Enamel-resin bonds, retentiveness of, using unfilled and filled resins (Hormati et al), 502

Endodontic abutments and complete dentures (Parkinson), 600
therapy, previous, evaluation and clinical management of (Abou-Rass), 528
Endosseous dental implant, new, development of. Part II: Human studies (Weiss and Rostoker), 633
frame implant, ramus, prosthodontic technique for (Davidson and Ruff), 535
Endosteal dental implant, single-crystal sapphire: Material characteristics and 18-month experimental animal trials (McKinney and Koth), 69
Eruption, forced, in restoring severely fractured teeth using removable orthodontic appliances (Mandel et al), 269
Esthetic feasibility study using labial index (Williams and Koth), 616
periodontal prosthesis, treatment with (Gallon), 256
Etched castings: Improved retentive mechanism for resin-bonded retainers (Livaditis and Thompson), 52
Eugenol–zinc oxide cements, mechanical mixing of (Mesu), 522
Extension, sublingual flange, of complete mandibular dentures, principles and technique in (von Krammer K.), 479

F

Facades, removable gingival, using with fixed partial dentures (Gardner and Stankewitz), 262
Facings, removable partial denture, technique for immediate repair of (Shay and Mattingly), 104
Facioocclusolingual amalgam restorations, varying, fracture resistance of lower molars with (Re et al), 518
Figure representation of teeth and mandible in centric occlusion, graphic description of (Tsao), 95
Filled and unfilled resins, retentiveness of enamel-resin bonds using (Hormati et al), 502
Finishing, early and delayed, of amalgam with different polishing procedures (Nuckles et al), 612
palatal and lingual contours of dentures (Stankewitz) (Tips), 108
Firings, repeated, effects of: Color and glaze (Barghi), 393
Fistulas, intestinal cutaneous, using dental technology to fabricate abdominal prosthesis to aid in management of (Medford et al), 681
Fit, marginal, of direct temporary crowns (Robinson and Hovijitra), 390
Fixed partial denture(s) construction, dowel system for waxing pontics in (von Krammer K.), 101
for patients with reduced periodontal support, technical and biophysical aspects of (Glantz and Nyman), 47
using removable gingival facades with (Gardner and Stankewitz), 262
prostheses, casting accuracy of nickel-chromium alloys for (Duncan), 63
prosthodontic(s) alloys, in vitro tarnish measurements on (German et al), 399
technique for accurate rubber base impressions for (Jamshidi), 265
Flange extension, sublingual, of complete mandibular dentures, principles and technique in (von Krammer K.), 479
Fluid volume, crevicular, effect of self-curing acrylic resin treatment restorations on (Garvin et al), 284
Force transmission by indirect retainers when unilateral dislodging force is applied (McDowell and Fisher), 360
unilateral dislodging, is applied, force transmission by indirect retainers when (McDowell and Fisher), 360
Forced eruption in restoring severely fractured teeth using removable orthodontic appliances (Mandel et al), 269
Form, palatal, and posterior palatal seal as related to retention of complete dentures, analysis of (Colón et al), 23
Fracture resistance of lower molars with varying facioocclusolingual amalgam restorations (Re et al), 518
strength of molars containing three surface amalgam restorations (Re et al), 185
Fractured anterior tooth, extensively, temporization of (Jordan et al), 182
lone standing teeth of cast, effect on dimensional accuracy when reattaching (Hanson et al), 488
teeth, periodontal surgery as aid to restoring (McDonald et al), 366
severely, forced eruption in restoring, using removable orthodontic appliances (Mandel et al), 269

G

Gamma-2 phase of dental amalgam, modification of simple method for determination of (Bowles), 514
Gingival facades, removable, using with fixed partial dentures (Gardner and Stankewitz), 262
inflammation related to retraction cords, comparison of (de Gennaro et al), 384
response and crown contours (Jameson and Malone), 620
Glaze and color: Effects of repeated firings (Barghi), 393
Glazing, distortion of occlusal porcelain during (Hobo), 154
Gold powder, procedure for simplified collarless metal-ceramic restoration using (Choung et al), 449
Grafting, augmentation rib, to inferior border of atrophic edentulous mandible: 5-year experience (Sanders and Beumer), 16
Gutta percha removal for cast post and cores (Shay and Buchanan) (Tips), 220

H

Handmixing of irreversible hydrocolloids, some effects of device versus (Reisbick et al), 92
Hemimaxillectomy patients, design for maximal retention of obturator prosthesis for (Wright et al), 88
Horizontal plane, evaluation of mandibular movements in, made by partial mandibulectomy patients—Pilot study (Vergo and Schaaf), 310
Human studies, Part II: Development of new endosseous dental implant (Weiss and Rostoker), 633
Hydrocolloid(s) impression, laminated, for indirect inlays (Fusayama et al), 171
irreversible, some effects of device versus handmixing of (Reisbick et al), 92
Hydrofluoric acid burns (Moore and Manor), 338
Hyperalimentation, intravenous, and oral care on development of oral stomatitis during cancer chemotherapy, effect of (Hickey et al), 188

I

Idiopathic oral mucosal irritation, use of medical-grade silicone adhesive as denture liner in treatment of (Segall and Glassman), 85
Immediate denture, existing restorations duplicated for (Broering and Gooch), 336
repair of removable partial denture facings, technique for (Shay and Mattingly), 104
Implant, new endosseous dental, development of. Part II: Human studies (Weiss and Rostoker), 633
ramus endosseous frame, prosthodontic technique for (Davidson and Ruff), 535
single-crystal sapphire endosteal dental: Material characteristics and 18-month experimental animal trials (McKinney and Koth), 69
Impression(s), accurate rubber base, for fixed prosthodontics, technique for (Jamshidi), 265
altered cast, technique for boxing (Plummer), 573
laminated hydrocolloid, for indirect inlays (Fusayama et al), 171
mandibular, modified boxing technique for (Broner et al), 454
materials, addition curing silicone, linear dimensional changes in (Marcinak and Draughn), 411
lead-containing elastic, effect of, on whole blood lead levels (Saunders et al), 209

Impression(s)—cont'd
technique, injection, for palatal defects (Benington and Clifford), 414
modified, for patients with interdental spacing (Winstanley) (Tips), 107
Index, labial, esthetic feasibility study using (Williams and Koth), 616
Indirect inlays, laminated hydrocolloid impression for (Fusayama et al), 171
retainers, force transmission by, when unilateral dislodging force is applied (McDowell and Fisher), 360
Inflammation, gingival, related to retraction cords, comparison of (de Gennaro et al), 384
Injection impression technique for palatal defects (Benington and Clifford), 414
Inlays, indirect, laminated hydrocolloid impression for (Fusayama et al), 171
Intercuspation, maximum, anatomic study of condylar position at (Preti et al), 445
Interdental spacing, modified impression technique for patients with (Winstanley) (Tips), 107
Interface, bond, of silicone and methyl methacrylate, evaluation of primers on leakage at (Lucas et al), 206
Interocclusal distance measurement comparing chin and tooth reference points (Ekfeldt et al), 560
records, quadrant, technique for (Adams), 44
Intestinal cutaneous fistulas, using dental technology to fabricate abdominal prosthesis to aid in management of (Medford et al), 681
Intravenous hyperalimentation and oral care on development of oral stomatitis during cancer chemotherapy, effect of (Hickey et al), 188
In vitro tarnish measurements on fixed prosthodontic alloys (German et al), 399
Irreversible hydrocolloids, some effects of device versus handmixing of (Reisbick et al), 92
Irritation, idiopathic oral mucosal, use of medical-grade silicone adhesive as denture liner in treatment of (Segall and Glassman), 85

K

Keratinization and leukocyte count of palatal denture-bearing mucosa (Lindholm et al), 440

L

Labial index, esthetic feasibility study using (Williams and Koth), 616
Laminated hydrocolloid impression for indirect inlays (Fusayama et al), 171
Large edentulous ridges—Are they better for dentures than small ridges? (Harvey et al), 595
Lead-containing elastic impression materials, effect of, on whole blood lead levels (Saunders et al), 209
levels, whole blood, effect of lead-containing elastic impression materials on (Saunders et al), 209
Leakage at bond interface of silicone and methyl methacrylate, evaluation of primers on (Lucas et al), 206
marginal, effect of cavosurface treatment on, in Class V composite resin restorations (Retief et al), 496
Leukocyte count and keratinization of palatal denture-bearing mucosa (Lindholm et al), 440
Linear dimensional change(s) in addition curing silicone impression materials (Marcinak and Draughn), 411
of acrylic resins used in fabrication of custom trays (Pagniano et al), 279
Liner, denture, in treatment of idiopathic oral mucosal irritation, use of medical-grade silicone adhesive as (Segall and Glassman), 85
Lingual and palatal contours of dentures, finishing (Stankewitz) (Tips), 108
Lisper, former: Speech adaptation to dental prostheses (Hamlet and Stone), 564
Locking devices in sectional dentures, rare earth magnets as (Ling), 252
Lone standing teeth, fractured, of cast, effect on dimensional accuracy when reattaching (Hanson et al), 488
Lower molars, fracture resistance of, with varying faciocclusolingual amalgam restorations (Re et al), 518

M

Magnets, rare earth, as locking devices in sectional dentures (Ling), 252
Mandible and teeth in centric occlusion, graphic description of figure representation of (Tsao), 95
atrophic edentulous, augmentation rib grafting to inferior border of: 5-year experience (Sanders and Beumer), 16
Mandibular condyle-ramus region, asymptomatic morphologic variations in (Sheppard), 539
dentures, complete, principles and technique in sublingual flange extension of (von Krammer K.), 479
impressions, modified boxing technique for (Broner et al), 454
movements in horizontal plane made by partial mandibulectomy patients, evaluation of—Pilot study (Vergo and Schaaf), 310
Mandibulectomy patients, partial, evaluation of mandibular movements in horizontal plane made by—Pilot study (Vergo and Schaaf), 310
Marginal distortion of porcelain-bonded-to-metal complete crown: SEM study (Hamaguchi et al), 146
fit of direct temporary crowns (Robinson and Hovijitra), 390
leakage, effect of cavosurface treatment on, in Class V composite resin restorations (Retief et al), 496
Margins, supragingival, ceramometal restorations with (Behrend), 625
Mathematical equations, determining pathway of protrusive movement on arcon and nonarcon articulators by (Morita et al), 330
Matrix, retainerless, for amalgam restorations (Strassler and Porter), 387
Measurement(s) in vitro tarnish, on fixed prosthodontic alloys (German et al), 399
of paint-on die spacers used for casting relief (Campagni et al), 606
Mechanical mixing of zinc oxide–eugenol cements (Mesu), 522
Metal-bonded-to-porcelain complete crown, marginal distortion of: SEM study (Hamaguchi et al), 146
-ceramic restoration, simplified collarless, procedure for, using gold powder (Choung et al), 449
Methyl methacrylate and silicone, evaluation of primers on leakage at bond interface of (Lucas et al), 206
Microbiologic cross-contamination of dental prostheses (Kahn et al), 556
Microhardness of alloys for porcelain veneering (Yli-Urpo and Uusalo), 396
Mixing, mechanical, of zinc oxide–eugenol cements (Mesu), 522
ratio, effect of, on selected properties of six composite resins (Berrong et al), 275
Molar(s) containing three surface amalgam restorations, fracture strength of (Re et al), 185
lower, fracture resistance of, with varying faciocclusolingual amalgam restorations (Re et al), 518
uprighting, periodontal and restorative aspects of (Lubow et al), 373
Morphologic variations, asymptomatic, in mandibular condyle-ramus region (Sheppard), 539
Motor patterns, oral, and their relation to oral prostheses (Zarb), 472
Movement(s), mandibular, in horizontal plane made by partial mandibulectomy patients, evaluation of—Pilot study (Vergo and Schaaf), 310

Movement(s)—cont'd
protrusive, determining pathway of, on arcon and nonarcon articulators by mathematical equations (Morita et al), 330
Mucormycosis: Oral and prosthodontic implications. Report of 14 patients (Kurrasch et al), 422
Mucosa, oral, and complete dentures (Watson and MacDonald), 133
biologic and mechanical effects of stress on (Kydd and Daly), 317
palatal denture-bearing, leukocyte count and keratinization of (Lindholm et al), 440
Mucosal irritation, idiopathic oral, use of medical-grade silicone adhesive as denture liner in treatment of (Segall and Glassman), 85
Myofacial pain, study of occlusal relationships and incidence of (Graham et al), 549

N

Nasal septum, improved obturator for defect of (Moergeli), 419
Nickel-chromium alloys for fixed prostheses, casting accuracy of (Duncan), 63
Nonarcon and arcon articulators, determining pathway of protrusive movement on, by mathematical equations (Morita et al), 330
Nonparallel canine abutments for tissue bar overdenture obturator, use of (Pomerantz and Zimmerman), 194

O

Obturator, improved, for defect of nasal septum (Moergeli), 419
prosthesis for hemimaxillectomy patients, design for maximal retention of (Wright et al), 88
tissue bar overdenture, use of nonparallel canine abutments for (Pomerantz and Zimmerman), 194
Occlusal clearance, adequate, die alteration to provide (Jordan and Turner), 570
porcelain during glazing, distortion of (Hobo), 154
rehabilitation, combined method to determine therapeutic position for (Mongini), 434
relationships and incidence of myofacial pain, study of (Graham et al), 549
traumatism, secondary, using removable partial dentures to stabilize teeth with (Becker and Kaldahl), 587
Occlusion(s), centric, graphic description of figure representation of teeth and mandible in (Tsao), 95
restored. Part II: Relationship of clinical and subjective symptoms to varying degrees of TMJ dysfunction (Lederman and Clayton), 303
patients with. Part I: TMJ dysfunction determined by pantographic reproducibility index (Lederman and Clayton), 198
Oral and prosthodontic implications: Mucormycosis. Report of 14 patients (Kurrasch et al), 422
care and intravenous hyperalimentation on development of oral stomatitis during cancer chemotherapy, effect of (Hickey et al), 188
motor patterns and their relation to oral prostheses (Zarb), 472
mucosa and complete dentures (Watson and MacDonald), 133
biologic and mechanical effects of stress on (Kydd and Daly), 317
mucosal irritation, idiopathic, use of medical-grade silicone adhesive as denture liner in treatment of (Segall and Glassman), 85
prostheses and their relation to oral motor patterns (Zarb), 472
stomatitis during cancer chemotherapy, effect of intravenous hyperalimentation and oral care on development of (Hickey et al), 188
Orthodontic appliances, removable, forced eruption in restoring severely fractured teeth using (Mandel et al), 269
Overdenture abutments, assessment of periodontal health of, Part II: 2-year longitudinal study of overdenture patients (Toolson et al), 4
obturator, tissue bar, use of nonparallel canine abutments for (Pomerantz and Zimmerman), 194
patients, 2-year longitudinal study of. Part II: Assessment of periodontal health of overdenture abutments (Toolson et al), 4
Oxidation, effect of, on ceramometal bond strength (Dent et al), 59

P

Pain, myofacial, study of occlusal relationships and incidence of (Graham et al), 549
referred, patterns and TMJ symptoms (Campbell et al), 430
Paint-on die spacers used for casting relief, measurement of (Campagni et al), 606
Palatal and lingual contours of dentures, finishing (Stankewitz) (Tips), 108
defects, injection impression technique for (Benington and Clifford), 414
denture-bearing mucosa, leukocyte count and keratinization of (Lindholm et al), 440
form and posterior palatal seal as related to retention of complete dentures, analysis of (Colón et al), 23
seal, posterior, and palatal form as related to retention of complete dentures, analysis of (Colón et al), 23
Palatine saliva, sodium dodecyl sulfate electrophoretic analysis of protein in (Shiba et al), 246
Pantographic reproducibility index, TMJ dysfunction determined by, Part I: Patients with restored occlusions (Lederman and Clayton), 198
Partial denture design: Simple teaching aid (Cowles) (Tips), 219
mandibulectomy patients, evaluation of mandibular movements in horizontal plane made by—Pilot study (Vergo and Schaaf), 310
Patients, hemimaxillectomy, design for maximal retention of obturator prosthesis for (Wright et al), 88
overdenture, 2-year longitudinal study of. Part II: Assessment of periodontal health of overdenture abutments (Toolson et al), 4
partial mandibulectomy, evaluation of mandibular movements in horizontal plane made by—Pilot study (Vergo and Schaaf), 310
wheelchair, positioning for dental treatment (Napierski), 217
with interdental spacing, modified impression technique for (Winstanley) (Tips), 107
restored occlusions. Part I: TMJ dysfunction determined by pantographic reproducibility index (Lederman and Clayton), 198
Periodontal and restorative aspects of molar uprighting (Lubow et al), 373
health of overdenture abutments, assessment of, Part II: 2-year longitudinal study of overdenture patients (Toolson et al), 4
prosthesis, esthetic, treatment with (Gallon), 256
support, reduced, technical and biophysical aspects of fixed partial dentures for patients with (Glantz and Nyman), 47
surgery as aid to restoring fractured teeth (McDonald et al), 366
Plaster set, accelerating, using controlled slurry water concentration (DeCounter et al), 340
Polished versus autoglazed porcelain surfaces (Klausner et al), 157
Polishing procedures, different, early and delayed finishing of amalgam with (Nuckles et al), 612
Polymethyl methacrylate and alpha cyanoacrylate, comparison of bond strengths of (Wiebelt et al), 603
Pontic(s) design, standards of (Howard et al), 493
in fixed partial denture construction, dowel system for waxing (von Krammer K.), 101

Porcelain-bonded-to-metal complete crown, marginal distortion of: SEM study (Hamaguchi et al), 146
occlusal, distortion of during glazing (Hobo), 154
surfaces, polished versus autoglazed (Klausner et al), 157
veneering, microhardness of alloys for (Yli-Urpo and Uusalo), 396
Position, condylar, at maximum intercuspation, anatomic study of (Preti et al), 445
swallowing, as centric relation record (Abdel-Hakim), 12
therapeutic, for occlusal rehabilitation, combined method to determine (Mongini), 434
Positioning wheelchair patients for dental treatment (Napierski), 217
Post and core(s), cast, gutta percha removal for (Shay and Buchanan) (Tips), 220
techniques, three, comparative evaluation of (Hoag and Dwyer), 177
Posterior palatal seal and palatal form as related to retention of complete dentures, analysis of (Colón et al), 23
Prescriptions, ceramic shade, for work authorizations (Blackman), 28
Previous endodontic therapy, evaluation and clinical management of (Abou-Rass), 528
Primers on leakage at bond interface of silicone and methyl methacrylate, evaluation of (Lucas et al), 206
Proprietary denture cleansers, seven, evaluation of (Augsburger and Elahi), 356
Prosthesis(es), abdominal, to aid in management of intestinal cutaneous fistulas, using dental technology to fabricate (Medford et al), 681
dental, microbiologic cross-contamination of (Kahn et al), 556
speech adaptation to: Former lisper (Hamlet and Stone), 564
esthetic periodontal, treatment with (Gallon), 256
fixed, casting accuracy of nickel-chromium alloys for (Duncan), 63
obturator, for hemimaxillectomy patients, design for maximal retention of (Wright et al), 88
oral, and their relation to oral motor patterns (Zarb), 472
Prosthodontic(s) alloys, fixed, in vitro tarnish measurements on (German et al), 399
and oral implications: Mucormycosis. Report of 14 patients (Kurrasch et al), 422
fixed, technique for accurate rubber base impressions for (Jamshidi), 265
technique for ramus endosseous frame implant (Davidson and Ruff), 535
Protein in palatine saliva, sodium dodecyl sulfate electrophoretic analysis of (Shiba et al), 246
Protrusive movement, determining pathway of, on arcon and nonarcon articulators by mathematical equations (Morita et al), 330
Provisional coverage splints, fabrication of vacuum adapter for construction of (Garver and Steinmetz), 457

Q

Quadrant interocclusal records, technique for (Adams), 44

R

Radiographic and clinical evaluation of removable partial dentures retained by attachments to alveolar bars (Lofberg et al), 126
Ramus-condyle region, mandibular, asymptomatic morphologic variations in (Sheppard), 539
endosseous frame implant, prosthodontic technique for (Davidson and Ruff), 535
Rare earth magnets as locking devices in sectional dentures (Ling), 252
Reattaching fractured lone standing teeth of cast, effect on dimensional accuracy when (Hanson et al), 488
Record(s) bases, stabilization of, in construction of complete dentures (Garver) (Tips), 342
Record(s)—cont'd
centric relation—Historical review (Myers), 141
swallowing position as (Abdel-Hakim), 12
quadrant interocclusal, technique for (Adams), 44
Reduced periodontal support, technical and biophysical aspects of fixed partial dentures for patients with (Glantz and Nyman), 47
Reference points, chin and tooth, interocclusal distance measurements comparing (Ekfeldt et al), 560
Referred pain patterns and TMJ symptoms (Campbell et al), 430
Rehabilitation, occlusal, combined method to determine therapeutic position for (Mongini), 434
Relief, casting, measurement of paint-on die spacers used for (Campagni et al), 606
Remount procedure, influence of cementing medium on accuracy of (Suthers and Wise), 377
Removable gingival facades, using with fixed partial dentures (Gardner and Stankewitz), 262
orthodontic appliances, forced eruption in restoring severely fractured teeth using (Mandel et al), 269
partial denture(s), comparison of major connectors for (Wagner and Traweek), 242
facings, technique for immediate repair of (Shay and Mattingly), 104
retained by attachments to alveolar bars, clinical and radiographic evaluation of (Lofberg et al), 126
using, to stabilize teeth with secondary occlusal traumatism (Becker and Kaldahl), 587
Repair, immediate, of removable partial denture facings, technique for (Shay and Mattingly), 104
Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry (Phillips et al), 654
Representation, figure, of teeth and mandible in centric occlusion, graphic description of (Tsao), 95
Reproducibility index, pantographic, TMJ dysfunction determined by, Part I: Patients with restored occlusions (Lederman and Clayton), 198
Resin(s), acrylic, used in fabrication of custom trays, linear dimensional change of (Pagniano et al), 279
-bonded retainers, improved retentive mechanism for: Etched castings (Livaditis and Thompson), 52
composite–amalgam restoration (Anglis and Fine) (Tips), 685
relationship of weight loss to surface roughness of, from simulated toothbrushing (Kanter et al), 505
direct restorative—Comparative study (Swartz et al), 163
-enamel bonds, retentiveness of, using unfilled and filled resins (Hormati et al), 502
restorations, Class V composite, effect of cavosurface treatment on marginal leakage in (Retief et al), 496
six composite, effect of mixing ratio on selected properties of (Berrong et al), 275
treatment restorations, self-curing acrylic, effect of, on crevicular fluid volume (Garvin et al), 284
two composite, effect of storage time and temperature on setting times of (Schutt et al), 497
unfilled and filled, retentiveness of enamel-resin bonds using (Hormati et al), 502
Response, gingival, and crown contours (Jameson and Malone), 620
Restoration(s), amalgam–composite resin (Anglis and Fine) (Tips), 685
retainerless matrix for (Strassler and Porter), 387
ceramometal, with supragingival margins (Behrend), 625
Class V composite resin, effect of cavosurface treatment on marginal leakage in (Retief et al), 496
existing, duplicated for immediate denture (Broering and Gooch), 336
self-curing acrylic resin treatment, effect of, on crevicular fluid volume (Garvin et al), 284
simplified collarless metal-ceramic, procedure for, using gold powder (Choung et al), 449

Restoration(s)—cont'd
temporary, technique for making template for (Smith and McGhay), 214
three surface amalgam, fracture strength of molars containing (Re et al), 185
varying faciocclusolingual amalgam, fracture resistance of lower molars with (Re et al), 518
Restorative and periodontal aspects of molar uprighting (Lubow et al), 373
resins, direct—Comparative study (Swartz et al), 163
Restored occlusions. Part II: Relationship of clinical and subjective symptoms to varying degrees of TMJ dysfunction (Lederman and Clayton), 303
patients with. Part I: TMJ dysfunction determined by pantographic reproducibility index (Lederman and Clayton), 198
Restoring fractured teeth, periodontal surgery as aid to (McDonald et al), 366
severely fractured teeth using removable orthodontic appliances, forced eruption in (Mandel et al), 269
Retainerless matrix for amalgam restorations (Strassler and Porter), 387
Retainers, indirect, force transmission by, when unilateral dislodging force is applied (McDowell and Fisher), 360
resin-bonded, improved retentive mechanism for: Etched castings (Livaditis and Thompson), 52
Retention, maximal, of obturator prosthesis for hemimaxillectomy patients, design for (Wright et al), 88
of complete dentures, analysis of posterior palatal seal and palatal form as related to (Colón et al), 23
submucosal root: Two-year clinical observation (MacEntee et al), 483
Retentive mechanism, improved, for resin-bonded retainers: Etched castings (Livaditis and Thompson), 52
Retentiveness of enamel-resin bonds using unfilled and filled resins (Hormati et al), 502
Retraction cords, comparison of gingival inflammation related to (de Gennaro et al), 384
Rib grafting, augmentation, to inferior border of atrophic edentulous mandible: 5-year experience (Sanders and Beumer), 16
Ridges, large edentulous—Are they better for dentures than small ridges? (Harvey et al), 595
small—Are they better for dentures than large edentulous ridges? (Harvey et al), 595
Root retention, submucosal: Two-year clinical observation (MacEntee et al), 483
Roughness, surface, of composite resins from simulated toothbrushing, relationship of weight loss to (Kanter et al), 505
Rubber base impressions, accurate, for fixed prosthodontics, technique for (Jamshidi), 265

S

Saliva, palatine, sodium dodecyl sulfate electrophoretic analysis of protein in (Shiba et al), 246
Sapphire, single-crystal, endosteal dental implant: Material characteristics and 18-month experimental animal trials (McKinney and Koth), 69
Seal, posterior palatal, and palatal form as related to retention of complete dentures, analysis of (Colón et al), 23
Secondary occlusal traumatism, using removable partial dentures to stabilize teeth with (Becker and Kaldahl), 587
Sectional dentures, rare earth magnets as locking devices in (Ling), 252
Self-curing acrylic resin treatment restorations, effect of, on crevicular fluid volume (Garvin et al), 284
SEM study: Marginal distortion of porcelain-bonded-to-metal complete crown (Hamaguchi et al), 146
Set, accelerating plaster, using controlled slurry water concentration (DeCounter et al), 340
Setting times of two composite resins, effect of storage time and temperature on (Schutt et al), 407
Shade prescriptions, ceramic, for work authorizations (Blackman), 28
selection, alternative to (Shay and Buchanan) (Tips), 343
Silicone adhesive, medical-grade, as denture liner in treatment of idiopathic oral mucosal irritation, use of (Segall and Glassman), 85
and methyl methacrylate, evaluation of primers on leakage at bond interface of (Lucas et al), 206
impression materials, addition curing, linear dimensional changes in (Marcinak and Draughn), 411
Single-crystal sapphire endosteal dental implant: Material characteristics and 18-month experimental animal trials (McKinney and Koth), 69
Slurry water concentration, controlled, accelerating plaster set using (DeCounter et al), 340
Small ridges—Are they better for dentures than large edentulous ridges? (Harvey et al), 595
Social Readjustment Rating Scale, symptoms of TMJ dysfunction as related to stress measured by (Stein et al), 545
Sodium dodecyl sulfate electrophoretic analysis of protein in palatine saliva (Shiba et al), 246
Space, vertical, for denture bases—Without surgery (Mitchener), 354
Spacing, interdental, modified impression technique for patients with (Winstanley) (Tips), 107
Speech adaptation to dental prostheses: Former lisper (Hamlet and Stone), 564
Splints, provisional coverage, fabrication of vacuum adapter for construction of (Garver and Steinmetz), 457
Stabilization of record bases in construction of complete dentures (Garver) (Tips), 342
Stabilize teeth with secondary traumatism, using removable partial dentures to (Becker and Kaldahl), 587
Stomatitis, oral, during cancer chemotherapy, effect of intravenous hyperalimentation and oral care on development of (Hickey et al), 188
Storage time and temperature, effect of, on setting times of two composite resins (Schutt et al), 407
Strength(s), bond, of polymethyl methacrylate and alpha cyanoacrylate, comparison of (Wiebelt et al), 603
ceramometal bond, effect of oxidation on (Dent et al), 59
fracture, of molars containing three surface amalgam restorations (Re et al), 185
Stress measured by Social Readjustment Rating Scale, symptoms of TMJ dysfunction as related to (Stein et al), 545
on oral mucosa, biologic and mechanical effects of (Kydd and Daly), 317
Sublingual flange extension of complete mandibular dentures, principles and technique in (von Krammer K.), 479
Submucosal root retention: Two-year clinical observation (MacEntee et al), 483
Support, reduced periodontal, technical and biophysical aspects of fixed partial dentures for patients with (Glantz and Nyman), 47
Supragingival margins, ceramometal restorations with (Behrend), 625
Surface amalgam restorations, three, fracture strength of molars containing (Re et al), 185
roughness of composite resins from simulated toothbrushing, relationship of weight loss to (Kanter et al), 505
Surgery, periodontal, as aid to restoring fractured teeth (McDonald et al), 366
Swallowing position as centric relation record (Abdel-Hakim), 12

T

Tarnish measurements, in vitro, on fixed prosthodontic alloys (German et al), 399
Teaching aid, simple: Partial denture design (Cowles) (Tips), 219
Temperature and storage time, effect of, on setting times of two composite resins (Schutt et al), 407

Template for temporary restorations, technique for making (Smith and McGhay), 214
Temporary crowns, direct, marginal fit of (Robinson and Hovijitra), 390
restorations, technique for making template for (Smith and McGhay), 214
Temporization of extensively fractured anterior tooth (Jordan et al), 182
Therapeutic position for occlusal rehabilitation, combined method to determine (Mongini), 434
Therapy, previous endodontic, evaluation and clinical management of (Abou-Rass), 528
Time, storage, and temperature, effect of, on setting times of two composite resins (Schutt et al), 407
Tissue bar overdenture obturator, use of nonparallel canine abutments for (Pomerantz and Zimmerman), 194
TMJ, analysis and correction of condylar displacement of (Kruger and Dale), 646
dysfunction determined by pantographic reproducibility index, Part I: Patients with restored occlusions (Lederman and Clayton), 198
relationship of clinical and subjective symptoms to varying degrees of, Part II: Restored occlusions (Lederman and Clayton), 303
symptoms of, as related to stress measured by Social Readjustment Rating Scale (Stein et al), 545
symptoms and referred pain patterns (Campbell et al), 430
Tooth (teeth) and chin reference points, interocclusal distance measurements comparing (Ekfeldt et al), 560
mandible in centric occlusion, graphic description of figure representation of (Tsao), 95
extensively fractured anterior, temporization of (Jordan et al), 182
fractured lone standing, of cast, effect on dimensional accuracy when reattaching (Hanson et al), 488
periodontal surgery as aid to restoring (McDonald et al), 366
severely fractured, forced eruption in restoring, using removable orthodontic appliances (Mandel et al), 269
syndrome, cracked (Rosen), 36
with secondary occlusal traumatism, using removable partial dentures to stabilize (Becker and Kaldahl), 587
Toothbrushing, simulated, relationship of weight loss to surface roughness of composite resins from (Kanter et al), 505
Traumatism, secondary occlusal, using removable partial dentures to stabilize teeth with (Becker and Kaldahl), 587
Trays, custom, linear dimensional change of acrylic resins used in fabrication of (Pagniano et al), 279

U

Unfilled and filled resins, retentiveness of enamel-resin bonds using (Hormati et al), 502
Uprighting, molar, periodontal and restorative aspects of (Lubow et al), 373

V

Vacuum adapter, fabrication of, for construction of provisional coverage splints (Garver and Steinmetz), 457
Veneering, porcelain, microhardness of alloys for (Yli-Urpo and Uusalo), 396
Vertical dimension, clinical measurement and evaluation of (Toolson and Smith), 236
Research and clinical analysis (Weinberg), 290
space for denture bases—Without surgery (Mitchener), 354

W

Waxing pontics in fixed partial denture construction, dowel system for (von Krammer K.), 101
Weight loss, relationship of, to surface roughness of composite resins from simulated toothbrushing (Kanter et al), 505
Wheelchair patients, positioning for dental treatment (Napierski), 217
Whole blood lead levels, effect of lead-containing elastic impression materials on (Saunders et al), 209
Work authorizations, ceramic shade prescriptions for (Blackman), 28

Z

Zinc oxide–eugenol cements, mechanical mixing of (Mesu), 522